

T1P Series Smart Lock




Key Feature

- Advanced C level lock cylinder to enhance security.
- Anti-peep password: xxx+password+xxx, preventing password from being stolen.
- Emergency power supply.
- 4-way opening: Fingerprints, cards, passwords and mechanical keys.
- Huge capacity: 300 fingerprints, cards and passwords.
- Keypad lock: The keypad locks automatically for 3 minutes after 5 consecutive wrong passwords.

Specifications

Model	T1P-1DR	T1P-1DB	T1P-1DG	
Material and Specification	Color	Red	Black	Gray
	Panel Material	Zinc alloy		
	Screen Type	OLED		
	Identification Method	Fingerprints, cards, passwords, mechanical keys		
Technical Parameter	Capacity	300 (Fingerprints, cards and passwords in total)		
	Identification Time	< 1s		
	Fingerprint Sensor	Semiconductor		
	Resolution	508DPI		
	False Acceptance Rate	<0.001%		
	False Rejection Rate	<1%		
	Keypad Type	Touch keypad		
	Password Length	6~10 digits		
	Card Type	IC Card		
	Sensor Distance	0~10mm		
	Working Voltage	4 pcs 1.5V AA batteries		
	Battery Life	Over 10 months		
	Low Voltage Warning	≤4.2V		
	Emergency Power Supply	Micro-USB		
	Relative Humidity	20%~80%		
	Working Temperature	-20°C~60°C		
Panel Size	385*82*35mm			
Function	Anti-peep Password	Support		
	Indoor double Lock	Support		
	Tampering Alarm	Support		
	Low Battery Warning	Support		
	Keypad Lock	Support		
Installation	Door Type	Security door, wooden door		
	Door Thickness	40mm~100mm		

Dimensions



Zhejiang Uniview Technologies Co.,Ltd.

Building No.10, Wanlun Science Park, Jiangling Road 88, Binjiang District, Hangzhou, Zhejiang, China

Email: overseasbusiness@uniview.com; globalsupport@uniview.com

<http://www.uniview.com>

©2018 Zhejiang Uniview Technologies Co.,Ltd. All rights reserved.

*Product specifications and availability are subject to change without notice.